

Serial No. 10/714,398

Attorney docket No. 16764-2US JA

- 2 -

IN THE CLAIMS:

1. (original) A method for retrieving and modifying data elements on a shared medium, comprising:

receiving at a shared medium controller from multiple clients, transaction requests for at least one of reading and writing a data element on said shared medium;

adding said transaction requests to an execution queue in order;

retrieving from said execution queue and executing all read transaction requests for said data element in parallel, up to a write transaction request for said data element;

executing said write transaction request for said data element and queuing all incoming read transaction requests for said data element until said write transaction request is completed;

whereby data retrieval transactions on said data element, originating from one or more clients, are not compromised by data update transactions on said data element originating from other clients.

2. (original) The method as claimed in claim 1, further comprising:

checking whether a version state associated with said data element is locked;

if said data element is locked,

adding said transaction request for said data element to an execution queue;

if said data element is not locked,

executing said transaction request right away.

3. (original) The method as claimed in claim 1, wherein said data elements are referred to as pointers defining an address range.

4. (original) The method as claimed in claim 3, wherein a read transaction for multiple data elements is executed for all of said data elements which are not waiting for a pending write transaction, and following completion of said pending write transaction, remaining data elements are read.

5. (original) The method as claimed in claim 1, wherein said read transaction request and execution comprises:

providing to said shared medium controller a client-stored version state information associated with said data element to be read;

BEST AVAILABLE COPY

Serial No. 10/714,398

Attorney docket No. 16764-2US JA

- 3 -

comparing said client-stored version state information associated with said data element with a shared medium-stored state information;

sending back to originating client a confirmation that said client-stored version state information and said data element contents are accurate.

6. (original) The method as claimed in claim 1, wherein said shared medium controller is physically located with the shared medium.

7. (original) The method as claimed in claim 2, wherein said data element is locked following a transaction request originating from a client.

8. (original) The method as claimed in claim 3, wherein said shared medium controller maintains a list of said version state information associated with said data elements on said shared medium and following modification of said data elements, said shared medium controller creates a new data structure in said list containing a new version state of said data elements and associating said new version state with a part of said data elements that has been modified.

9. (original) The method as claimed in claim 8, wherein if said data elements being modified are associated with multiple separate data structures containing version states, creating a new single data structure in said list associated with all modified said data elements and removing said multiple separate data structures from said list.

10. (original) The method as claimed in claim 8, wherein said initial version state is an initial version number and wherein said initial version number is incremented to obtain said new version state.

11. (original) The method as claimed in claim 8, wherein said list of data structures is a double linked binary tree list.

12. (new) A method for executing a common task in a clustered computing environment comprising a plurality of computers interconnected to collaborate on said common task, said plurality of computers including at least a client computer and a shared storage medium storing data elements, comprising:

Serial No. 10/714,398

Attorney docket No. 16764-2US JA

- 4 -

receiving at a shared medium controller from said plurality of client computers working on a same task, transaction requests for at least one of reading and writing a data element on said shared storage medium;

adding said transaction requests to an execution queue in order;

retrieving from said execution queue and executing all read transaction requests for said data element in parallel, up to a write transaction request for said data element according to said order;

executing said write transaction request for said data element and queuing all incoming read transaction requests for said data element in said execution queue in order until said write transaction request is completed;

at least one of said plurality of computers modifying said data element stored on said shared storage medium and said client computer using said retrieved data element to execute said common task;

whereby data retrieval transactions on said data element, originating from one or more client computers, are not compromised by data update transactions on said data element originating from other client computers.

13. (new) The method as claimed in claim 12, further comprising:

checking whether a version state associated with said data element is locked;

if said data element is locked,

adding said transaction request for said data element to an execution queue;

if said data element is not locked,

executing said transaction request right away.

14. (new) The method as claimed in claim 12, wherein said data elements are referred to as pointers defining an address range.

15. (new) The method as claimed in claim 14, wherein a read transaction for multiple data elements is executed for all of said data elements which are not waiting for a pending write transaction, and following completion of said pending write transaction, remaining data elements are read.

Serial No. 10/714,398

Attorney docket No. 16764-2US JA

- 5 -

16. (new) The method as claimed in claim 1, wherein said read transaction request and execution comprises:

providing to said shared medium controller a client-stored version state information associated with said data element to be read;

comparing said client-stored version state information associated with said data element with a shared medium-stored state information;

sending back to originating client a confirmation that said client-stored version state information and said data element contents are accurate.

17. (new) The method as claimed in claim 12, wherein said shared medium controller is physically located with the shared medium.

18. (new) The method as claimed in claim 13, wherein said data element is locked following a transaction request originating from a client.

19. (new) The method as claimed in claim 14, wherein said shared medium controller maintains a list of said version state information associated with said data elements on said shared medium and following modification of said data elements, said shared medium controller creates a new data structure in said list containing a new version state of said data elements and associating said new version state with a part of said data elements that has been modified.

20. (new) The method as claimed in claim 19, wherein if said data elements being modified are associated with multiple separate data structures containing version states, creating a new single data structure in said list associated with all modified said data elements and removing said multiple separate data structures from said list.

21. (new) The method as claimed in claim 19, wherein said initial version state is an initial version number and wherein said initial version number is incremented to obtain said new version state.

22. (new) The method as claimed in claim 19, wherein said list of data structures is a double linked binary tree list.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.